

Sample Received: **June 27, 2026**

COA Issued: **July 1, 2026**

PRODUCT INFORMATION

Vendor: **Revitacore LLC** Sample Name: **KLOW 80mg** Sample Type: **Blue lyophilized powder** Lot Number: **KW802605B** MW (g/mol): **384.4, 401.9, 889.1, 1419.5**

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	KPV, GHK-Cu, TB-500, BPC-157	MALDI-MS	✓ Conforms
Content	50.61, 10.33, 10.71, 10.16 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms

HPLC Chromatogram (Retention Time: 1.596, 1.665, 1.835, 8.263 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.