

Sample Received: **March 19, 2026**

COA Issued: **March 25, 2026**

## PRODUCT INFORMATION

Vendor:  
**Revitacore, LLC**

Sample Name:  
**VIP 10mg**

Sample Type:  
**White lyophilized powder**

Lot Number:  
**VP26C099**

MW:  
**3326.3 g/mol**

## ANALYTICAL METHODS

**Identity:** Confirmed via MALDI-MS

**Purity:** RP-HPLC (214 nm)


**Content:** HPLC quantitation

## TEST RESULTS


| Specification       | Result       | Method            | Status     |
|---------------------|--------------|-------------------|------------|
| Identity: VIP       | VIP          | MALDI-MS          | ✓ Conforms |
| Content             | 10.08 mg     | HPLC Quantitation | ✓ Conforms |
| Overall Purity      | 99.7%        | RP-HPLC (214 nm)  | ✓ Conforms |
| Endotoxin Threshold |              |                   |            |
| Replicate 1         | ≤ 0.05 EU/mL | PASS              | PASS       |

## ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 2.342 min)



## Mass Spectrum (MALDI-MS)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*  
**Shane Straight, M.S.**  
Principal Chemist, Bioviridian Inc.